

Author Index

Abraham, C.R., see Meckelein, B. (55) 181 Alam, J., see Cook, J.L. (55) 9 Armstrong, J.N., see Denovan-Wright, E.M. (55) 350

Baba-Aïssa, F., Van Den Bosch, L., Wuytack, F., Raeymaekers, L. and Casteels, R. Regulation of the sarco/endoplasmic reticulum Ca²⁺-ATPase (SERCA) 2 gene transcript in neuronal cells (55) 92

Babity, J.M., see Denovan-Wright, E.M. (55)

350 Baker, H., see Ghee, M. (55) 101 Bazan, N.G., see Cook, J.L. (55) 9 Beauvillain, J.-C., see Salzet, M. (55) 173 Begbie, J., see Wyatt, S. (55) 254 Bernal, J., see García-Fernández, L.F. (55) 321 Bernstein, M.A. and Welch, S.P. μ -Opioid receptor down-regulation and cAMP-dependent protein kinase phosphory-

lation in a mouse model of chronic morphine tolerance (55) 237 Bilfinger, T.V., see Salzet, M. (55) 173 Bjenning, C., see Salzet, M. (55) 173 Black, I.B., see Lin, S.-Y. (55) 20

Brophy, P.J., see Rogers, K.R. (55) 355

Burazin, T.C.D. and Gundlach, A.L. Up-regulation of GDNFR- α and c-ret mRNA in facial motor neurons following facial nerve injury in the rat (55) 331

Burgher, K.L., see Ringheim, G.E. (55) 35

Caicedo, A., see D'Aldin, C. (55) 151 Carr, L.G., see Teerawatanasuk, N. (55) 61 Carvalho, A.P., see Sequeira, S.M. (55) 337 Carvalho, C.M., see Sequeira, S.M. (55) 337 Casteels, R., see Baba-Aïssa, F. (55) 92 Ceballos-Picot, I., see Guégan, C. (55) 133 Chan, P.H., see Li, Y. (55) 277 Chao, C.C., see Ringheim, G.E. (55) 35 Chi, S.-I., see Lin, T.-N. (55) 71 Church, R., see Rex, M. (55) 28 Conn, K.-J., see Meckelein, B. (55) 181 Cook, J.L., Marcheselli, V., Alam, J., Deininger, P.L. and Bazan, N.G. Temporal changes in gene expression following cryogenic rat brain injury (55) 9 Corchero, J., see Manzanares, J. (55) 126

Creveaux, I., Gobron, S., Meiniel, R., Dastugue, B. and Meiniel, A. Complex expression pattern of the SCOspondin gene in the bovine subcommissural organ: toward an explanation for Reissner's fiber complexity? (55) 45

D'Aldin, C., Caicedo, A., Ruel, J., Renard, N., Pujol, R. and Puel, J.-L. Antisense oligonucleotides to the GluR2 AMPA receptor subunit modify excitatory synaptic transmission in vivo (55) 151

Dastugue, B., see Creveaux, I. (55) 45 Deininger, P.L., see Cook, J.L. (55) 9

Denovan-Wright, E.M., Newton, R.A., Armstrong, J.N., Babity, J.M. and Robertson, H.A.

Acute administration of cocaine, but not amphetamine, increases the level of synaptotagmin IV mRNA in the dorsal striatum of rat (55) 350

Doutheil, J., see Paschen, W. (55) 341 Duarte, C.B., see Sequeira, S.M. (55) 337

Ensor, L., see Wyatt, S. (55) 254 Ernfors, P., see Wyatt, S. (55) 254

Fang, Y., Kelly, M.J. and Rønnekleiv, O.K. Proopiomelanocortin (POMC) mRNA expression: distribution and region-specific down-regulation by chronic morphine in female guinea pig hypothalamus (55) 1

Fernandez-Ruiz, J.J., see Manzanares, J. (55) 126

Flügge, G., see Meyer, U. (55) 243 Fuchs, E., see Meyer, U. (55) 243 Fuentes, J.A., see Manzanares, J. (55) 126 Fukunaga, Y., Nishida, S., Inoue, N., Miyamoto, M., Kishioka, S. and Yamamoto, H.

Time course of morphine withdrawal and preproenkephalin gene expression in the periaqueductal gray of rats (55) 221

Gall, C.M., see Lauterborn, J.C. (55) 81 Gall, C.M., see Pinkstaff, J.K. (55) 265 García-Fernández, L.F., Urade, Y., Hayaishi, O., Bernal, J. and Muñoz, A. Identification of a thyroid hormone response element in the promoter region of the rat lipocalin-type prostaglandin D synthase (β -trace) gene (55) 321

Gavériaux-Ruff, C., see Tryoen-Toth, P. (55)

Ghee, M., Baker, H., Miller, J.C. and Ziff, E.B. AP-1, CREB and CBP transcription factors differentially regulate the tyrosine hydroxylase gene (55) 101

Gobron, S., see Creveaux, I. (55) 45 Greco, M.A., Magner, M., Overstreet, D. and Shiromani, P.J.

Expression of cholinergic markers in the pons of Flinders rats (55) 232

Griffin, M., see Rogers, K.R. (55) 355

Guégan, C., Onténiente, B., Makiura, Y., Merad-Boudia, M., Ceballos-Picot, I. and Sola, B.

Reduction of cortical infarction and impairment of apoptosis in NGF-transgenic mice subjected to permanent focal ischemia (55) 133

Gundlach, A.L., see Burazin, T.C.D. (55) 331

Hayaishi, O., see García-Fernández, L.F. (55)

Hayakawa, T., see Nonaka, M. (55) 54 Hendriksen, H., see Kamphuis, W. (55) 209 Hibino, Y., see Katsura, M. (55) 345 Hide, I., see Inoue, A. (55) 285 Hirose, T., see Inoue, A. (55) 285 Hong Liu, X., see Szaflarski, J. (55) 306 Hurd, Y.L., see Österlund, M.K. (55) 169

Ichihashi, R.M.A., see Rex, M. (55) 28 Inoue, A., Seto, M., Sugita, S., Hide, I., Hirose, T., Koga, N., Kikuchi, T. and Nakata, Y. Differential effects on D₂ dopamine receptor and prolactin gene expression by haloperidol and aripiprazole in the rat pituitary (55) 285

Inoue, N., see Fukunaga, Y. (55) 221 Isackson, P.J., see Lauterborn, J.C. (55) 81 Ivacko, J., see Szaflarski, J. (55) 306

Kamphuis, W. and Hendriksen, H. Expression patterns of voltage-dependent calcium channel α_1 subunits $(\alpha_{1A} - \alpha_{1E})$ mRNA in rat retina (55) 209

Katsura, M., Ohkuma, S., Xu, J., Hibino, Y., Tsujimura, A. and Kuriyama, K. Continuous treatment with nicotine increases diazepam binding inhibitor (DBI) and its mRNA in the mouse brain (55) 345

Kelly, M.J., see Fang, Y. (55) 1 Kikuchi, T., see Inoue, A. (55) 285 Kimura, H., see Suzuki, M. (55) 165 Kiryu-Seo, S., see Namikawa, K. (55) 315 Kishioka, S., see Fukunaga, Y. (55) 221 Kitajima, K., see Suzuki, M. (55) 165 Kitanishi, T., see Suzuki, M. (55) 165 Kitano, H., see Suzuki, M. (55) 165 Kiyama, H., see Namikawa, K. (55) 315 Koga, N., see Inoue, A. (55) 285 Kohmura, E., see Nonaka, M. (55) 54

Kratz, E., see Moffett, J. (55) 293 Kruhøffer, M., see Meyer, U. (55) 243 Kuo, J.-S., see Lin, T.-N. (55) 71 Kuriyama, K., see Katsura, M. (55) 345

Labourdette, G., see Tryoen-Toth, P. (55) 141
Latchman, D.S., see Wyatt, S. (55) 254
Lauterborn, J.C., Poulsen, F.R., Stinis, C.T.,
Isackson, P.J. and Gall, C.M.
Transcript-specific effects of adrenalectomy
on seizure-induced BDNF expression in rat
hippocampus (55) 81

Lésage, J., see Salzet, M. (55) 173 Levine, E.S., see Lin, S.-Y. (55) 20 Li, X.-L., see Zhang, L.-X. (55) 198 Li, Y. and Chan, P.H.

Identification of the pro-oncogene stathmin / op18 mRNA in the brain of mitochondrial Mn-superoxide dismutase-deficient mice by a modified differential display PCR (55) 277

Lin, S.-Y., Wu, K., Levine, E.S., Mount, H.T.J.,
Suen, P.-C. and Black, I.B.
BDNF acutely increases tyrosine phosphorylation of the NMDA receptor subunit 2B in cortical and hippocampal postsynaptic densities (55) 20

Lin, T.-N., Wang, P.-Y., Chi, S.-I. and Kuo, J.-S.
Differential regulation of ciliary neurotrophic factor (CNTF) and CNTF receptor α (CNTFR α) expression following focal cerebral ischemia (55) 71

Linden, T., see Paschen, W. (55) 341 Lynch, G., see Pinkstaff, J.K. (55) 265

Maderspach, K., see Tryoen-Toth, P. (55) 141
Magner, M., see Greco, M.A. (55) 232
Makiura, Y., see Guégan, C. (55) 133
Manzanares, J., Corchero, J., Romero, J., Fernandez-Ruiz, J.J., Ramos, J.A. and Fuentes, J.A.
Chronic administration of cannabinoids regulates proenkephalin mRNA levels in selected regions of the rat brain (55) 126
Marcheselli, V., see Cook, J.L. (55) 9

Marcheselli, V., see Cook, J.L. (55) 9
Marshall, D.C.L., see Meckelein, B. (55) 181
Meckelein, B., Marshall, D.C.L., Conn, K.-J.,
Pietropaolo, M., Van Nostrand, W. and
Abraham, C.R.
Identification of a novel serine protease-like
molecule in human brain (55) 181

Meiniel, A., see Creveaux, I. (55) 45 Meiniel, R., see Creveaux, I. (55) 45 Merad-Boudia, M., see Guégan, C. (55) 133 Meyer, U., Kruhøffer, M., Flügge, G. and Fuchs,

E. Cloning of glucocorticoid receptor and mineralocorticoid receptor cDNA and gene expression in the central nervous system of the tree shrew (*Tupaia belangeri*) (55) 243

Miller, J.C., see Ghee, M. (55) 101
Miyamoto, M., see Fukunaga, Y. (55) 221
Moffett, J., Kratz, E. and Stachowiak, M.K.
Increased tyrosine phosphorylation and novel *cis*-acting element mediate activation of the fibroblast growth factor-2 (FGF-2) gene by nicotinic acetylcholine receptor.

New mechanism for trans-synaptic regulation of cellular development and plasticity (55) 293

Mokhtar, S., see Rex, M. (55) 28 Mount, H.T.J., see Lin, S.-Y. (55) 20 Muñoz, A., see García-Fernández, L.F. (55) 321

Nakata, Y., see Inoue, A. (55) 285
Namikawa, K., Su, Q., Kiryu-Seo, S. and
Kiyama, H.
Enhanced expression of 14-3-3 family
members in injured motoneurons (55) 315
Newton, R.A., see Denovan-Wright, E.M. (55)
350
Nishida, S., see Fukunaga, Y. (55) 221

Nonaka, M., Kohmura, E., Yamashita, T., Shimada, S., Tanaka, K., Yoshimine, T., Tohyama, M. and Hayakawa, T.
Increased transcription of glutamate-aspartate transporter (GLAST/GluT-1) mRNA following kainic acid-induced limbic seizure (55) 54

Ohkuma, S., see Katsura, M. (55) 345
Onténiente, B., see Guégan, C. (55) 133
Österlund, M.K. and Hurd, Y.L.
Acute 17β-estradiol treatment down-regulates serotonin 5HT_{1A} receptor mRNA expression in the limbic system of female rats (55) 169
Overstreet, D., see Greco, M.A. (55) 232

Paschen, W., Linden, T. and Doutheil, J.
Effects of transient cerebral ischemia on hsp40 mRNA levels in rat brain (55) 341
Petko, W., see Ringheim, G.E. (55) 35
Pfaff, D.W., see Zhu, Y.-S. (55) 115
Pietropaolo, M., see Meckelein, B. (55) 181
Pinkstaff, J.K., Lynch, G. and Gall, C.M.
Localization and seizure-regulation of integrin β1 mRNA in adult rat brain (55) 265
Post, R.M., see Zhang, L.-X. (55) 198
Poulsen, F.R., see Lauterborn, J.C. (55) 81
Puel, J.-L., see D'Aldin, C. (55) 151
Pujol, R., see D'Aldin, C. (55) 151

Raeymaekers, L., see Baba-Aïssa, F. (55) 92
Ramos, J.A., see Manzanares, J. (55) 126
Reichardt, L.F., see Wyatt, S. (55) 254
Renard, N., see D'Aldin, C. (55) 151
Rex, M., Church, R., Tointon, K., Ichihashi, R.M.A., Mokhtar, S., Uwanogho, D., Sharpe, P.T. and Scotting, P.J.
Granule cell development in the cerebellum is punctuated by changes in *Sox* gene expression (55) 28

Rialas, C., see Salzet, M. (55) 173
Ringheim, G.E., Szczepanik, A.M., Petko, W.,
Burgher, K.L., Zhu, S.Z. and Chao, C.C.
Enhancement of beta-amyloid precursor
protein transcription and expression by the
soluble interleukin-6 receptor/interleukin-6
complex (55) 35

Robertson, H.A., see Denovan-Wright, E.M. (55) 350

Rogers, K.R., Griffin, M. and Brophy, P.J.

The secretory epithelial cells of the choroid

plexus employ a novel kinesin-related protein (55) 355

Romero, J., see Manzanares, J. (55) 126

Rønnekleiv, O.K., see Fang, Y. (55) 1

Ruel, J., see D'Aldin, C. (55) 151

Salzet, B., see Salzet, M. (55) 173
Salzet, M., Salzet, B., Sáutière, P., Lésage, J.,
Beauvillain, J.-C., Bilfinger, T.V., Rialas,
C., Bjenning, C. and Stefano, G.B.
Isolation and characterization of a leech neuropeptide in rat brains: coupling to nitric oxide release in leech, rat and human tissues (55) 173

Sáutière, P., see Salzet, M. (55) 173
Scotting, P.J., see Rex, M. (55) 28
Sequeira, S.M., Duarte, C.B., Carvalho, A.P. and Carvalho, C.M.
Nitric oxide differentially affects the exocytotic and the carrier-mediated release of [³H]γ-aminobutyric acid in rat hippocampal synaptosomes (55) 337

Seto, M., see Inoue, A. (55) 285 Sharpe, P.T., see Rex, M. (55) 28 Shimada, S., see Nonaka, M. (55) 54 Shiromani, P.J., see Greco, M.A. (55) 232 Smith, M.A., see Zhang, L.-X. (55) 198 Sola, B., see Guégan, C. (55) 133 S. Silverstein, F., see Szaflarski, J. (55) 306 Stachowiak, M.K., see Moffett, J. (55) 293 Stefano, G.B., see Salzet, M. (55) 173 Stinis, C.T., see Lauterborn, J.C. (55) 81 Su, Q., see Namikawa, K. (55) 315 Suen, P.-C., see Lin, S.-Y. (55) 20 Sugita, S., see Inoue, A. (55) 285 Suzuki, M., Kitano, H., Kitanishi, T., Yazawa, Y., Kitajima, K., Takeda, T., Kimura, H. and Tooyama, I. RT-PCR analysis of mRNA expression of natriuretic peptide family and their recep-

tors in rat inner ear (55) 165
Szaflarski, J., Ivacko, J., Hong Liu, X., Warren, J.S. and S. Silverstein, F.
Excitotoxic injury induces monocyte chemoattractant protein-1 expression in neonatal rat brain (55) 306
Szczepanik, A.M., see Ringheim, G.E. (55) 35

Takeda, T., see Suzuki, M. (55) 165
Tanaka, K., see Nonaka, M. (55) 54
Teerawatanasuk, N. and Carr, L.G.
CBF/NF-Y activates transcription of the human tryptophan hydroxylase gene through an inverted CCAAT box (55) 61
Tohyama, M., see Nonaka, M. (55) 54
Tointon, K., see Rex, M. (55) 28
Tooyama, I., see Suzuki, M. (55) 165
Tryoen-Toth, P., Gavériaux-Ruff, C., Maderspach, K. and Labourdette, G.
Regulation of κ-opioid receptor mRNA level by cyclic AMP and growth factors in cultured rat glial cells (55) 141

Urade, Y., see García-Fernández, L.F. (55) 321 Uwanogho, D., see Rex, M. (55) 28

Tsujimura, A., see Katsura, M. (55) 345

Van Den Bosch, L., see Baba-Aïssa, F. (55) 92 Van Nostrand, W., see Meckelein, B. (55) 181

Wang, P.-Y., see Lin, T.-N. (55) 71
Warren, J.S., see Szaflarski, J. (55) 306
Weiss, S.R.B., see Zhang, L.-X. (55) 198
Welch, S.P., see Bernstein, M.A. (55) 237
Wu, K., see Lin, S.-Y. (55) 20
Wuytack, F., see Baba-Aïssa, F. (55) 92
Wyatt, S., Ensor, L., Begbie, J., Ernfors, P.,
Reichardt, L.F. and Latchman, D.S.

NT-3 regulates expression of Brn3a but not Brn3b in developing mouse trigeminal sensory neurons (55) 254

Xu, J., see Katsura, M. (55) 345

Yamamoto, H., see Fukunaga, Y. (55) 221 Yamashita, T., see Nonaka, M. (55) 54 Yazawa, Y., see Suzuki, M. (55) 165 Yoshimine, T., see Nonaka, M. (55) 54 Zhang, L.-X., Smith, M.A., Li, X.-L., Weiss, S.R.B. and Post, R.M.
Apoptosis of hippocampal neurons after amygdala kindled seizures (55) 198
Zhu, S.Z., see Ringheim, G.E. (55) 35
Zhu, Y.-S. and Pfaff, D.W.
Differential regulation of AP-1 DNA binding activity in rat hypothalamus and pituitary by estrogen (55) 115
Ziff, E.B., see Ghee, M. (55) 101

